

# SAFETY DATA SHEET

### 1. Identification

Product identifier Harvey Pipe Thread Compound

Other means of identification

Product code 029035E

**Synonyms** Part Numbers: 0070 028126 029037 029053 40970

028005 028140 029038 090 2000 441006 028010 028155 029041 090 2005 441008 028020 028198 029042 11-1014 45280 028025 028240 029043 11-1102 613570 028030 029015 029044 12030 82-100 028035 029018 029045 3400 82-101 854-2 028040 029020 029047 3410 028075 029030 029048 403451 B13179 028110 029033 029049 403469 B13184 028115 029034 029050 408099 M6112\*001 028118 029035 029051 408106 R53-744

028120 029036 029052 40969

**Recommended use** Gray thread lubricant and sealant for metal pipe joint threads.

Recommended restrictions

Manufacturer/Importer/Supplier/Distributor information

Company Name William H. Harvey Company

Address 4334 South 67<sup>th</sup> Street

Omaha, NE 68117

Telephone 402-331-1175
E-mail info@oatey.com

Transport Emergency Chemtrec 1-800-424-9300 (Outside the US 1-703-527-3887)

Emergency First Aid 1-877-740-5015

Contact person MSDS Coordinator

2. Hazard(s) identification

Physical hazards Not Classified.
Health hazards Not Classified.
OSHA defined hazards Not Classified.

Label elements

Hazard symbol None.
Signal word None.

**Hazard statement** This product was determined to be non-hazardous.

**Precautionary statement** 

Prevention Not applicable
Response Not applicable.
Storage Not applicable.
Disposal Not applicable.
Hazard(s) not otherwise None known.

classified (HNOC)

3. Composition/information on ingredients

**Mixtures** 

Harvey Pipe Thread Compound SDS US SDS # 029035E Version #: 01 Revision date: Issue date: 12-May-2015 Page 1 of 6

Chemical name	CAS number	%
Calcium Carbonate	1317-65-3	50 - 70
Distillates (petroleum), hydrotreated middle	64742-46-7	10 - 30
Linseed Oil	8001-26-1	5 - 10
Crystalline Silica, quartz	14808-60-7*	< 1.4

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

### 4. First-aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if symptoms occur.

Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

**Eye contact** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses. Get medical attention if irritation occurs.

**Ingestion** Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable

for breathing. If material has been swallowed and the exposed person is conscious, give small

quantities of water to drink. Do not induce vomiting unless directed to do so by medical

Contact poison treatment specialist immediately if large quantities have been ingested or

personnel. Get medical attention if symptoms occur. Skin or eye irritation.

Most important

symptoms/effects, acute and delayed

Indication of immediate medical

attention and special treatment needed.

inhaled.

Note to physician, treat symptomatically.

General information

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

tile Ciletilicai

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Use dry chemical, CO2, alcohol-resistant foam or water spray (fog).

water jet

No specific fire or explosion hazard.

Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Use water spray to keep fire-exposed containers cool. Fire water contaminated with this

material must be contained and prevented from being discharged to any waterway, sewer or

drain.

Specific methods None
General fire hazards None

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Methods and materials for containment and cleaning up

Large Spills: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal.

Small Spills: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal.

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and

Harvey Pipe Thread Compound SDS # 029035E Version #: 01 Revision date: Issue date: 12-May-2015

<sup>\*</sup> Material is bound within the matrix of the product and does not provide any inhalation hazards.

sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

## 7. Handling and storage

Precautions for safe handling Put on appropriate personal protective equipment (see section 8 of SDS). Eating, drinking and

> smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8

for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## 8. Exposure controls/personal protection

### Occupational exposure limits

### **US. ACGIH Threshold Limit Values**

Components	Type	Value
Distillates (petroleum), hydrotreated middle	TLV	5 mg/m3
Crystalline Silica	TLV	10 mg/m3

**Biological limit values** No Biological limits.

Appropriate engineering

controls

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Skin protection

Other

Hand Chemical-resistant, impervious gloves complying with an approved standard should be worn at

> all times when handling chemical products if a risk assessment indicates this is necessary. Appropriate footwear and any additional skin protection measures should be selected based on

the task being performed and the risks involved and should be approved by a specialist before

handling this product.

Use a properly fitted, particulate filter respirator complying with an approved standard if a risk Respiratory protection

> assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the

selected respirator.

Thermal hazards None.

General hygiene considerations

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

## 9. Physical and chemical properties

**Appearance** 

Physical state Liquid. Form Thick Paste Color Gray Odor Slight **Odor threshold** Not available. рΗ Not applicable Melting point/freezing point Not applicable. Initial boiling point and boiling Not determined

range

Flash point > 199 °F (> 93.3 °C)

Upper/lower flammability or explosive limits Flammability limit – lower (%) Not available

Harvey Pipe Thread Compound SDS # 029035E Version #: 01 Revision date: Issue date: 12-May-2015 Page 3 of 6 Flammability limit – upper (%) Not available Explosive limit - lower (%) Not available Explosive limit - upper (%) Not available Vapor pressure Not applicable Vapor density Not applicable

Relative density 1.68

Solubility(ies)

Solubility (water) Not available

Partition coefficient

(n-octanol/water) Not available Auto-ignition temperature Not applicable Not available **Decomposition temperature** Not available Viscosity

Other information

VOC (Weight %) 0.7% or 11 g/L

## 10. Stability and reactivity

Reactivity Stable under normal conditions.

**Chemical stability** The product is stable.

Possibility of hazardous

reaction Conditions to avoid No specific data.

Incompatible materials No specific data.

**Hazardous decomposition** Under normal conditions of storage and use, hazardous decomposition products should not be

products produced.

## 11. Toxicological information

Information on likely routes of exposure

Inhalation No known significant effects or critical hazards. Skin contact No known significant effects or critical hazards. Eye contact No known significant effects or critical hazards. Ingestion No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics No specific data.

Information on likely routes of exposure

Acute Toxicity

Components Species Results

Skin corrosion/irritation Not determined. Serious eye damage/eye Not determined.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not considered a respiratory irritant

Skin sensitization This product is not expected to cause skin irritation.

Germ cell mutagenicity No specific data

Carcinogenicity No known significant effects or critical hazards. Reproductive toxicity No known significant effects or critical hazards.

Specific target organ toxicity

Not Classified. Single exposure Not Classified. Repeated exposure

Aspiration Hazard Contains Distillates (petroleum), hydrotreated – Which is a category 1 Aspiration Hazard. The

likely hood of aspirating the product in this form is very low due to the high viscosity.

Under normal conditions of storage and use, hazardous reactions will not occur.

**Chronic effects** Not Classified.

**Further information** 

### 12. Ecological information

Harvey Pipe Thread Compound SDS US SDS # 029035E Version #: 01 Revision date: Issue date: 12-May-2015 Page 4 of 6

#### **Ecotoxicity**

Product/ingredient name	Results	Species	Exposure
Distillates (petroleum), hydrot	reated light		
	Acute LC50 2,900 µg/l Fresh water	Fish - Rainbow trout, Donaldson trou	t 96 h
	Acute I C50 2 200 ug/l Fresh water	Fish - Bluegill	96 h

Persistence and degradability Not Available.

Bio accumulative potential Not Available.

Mobility in soil Not available.

Other adverse effects No known significant effects of critical hazards.

## 13. Disposal considerations

**Disposal instructions**The generation of waste should be avoided or minimized wherever possible. Disposal of this

product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways,

drains and sewers.

Local disposal regulations

Not Applicable

Hazardous waste code

Not Applicable

## 14. Transportation information

**DOT** Not Regulated

**UN** number

UN Proper Shipping Name Transportation Hazard

classes

**Packing group** 

IATA Not Regulated

**UN** number

UN Proper Shipping Name Transportation Hazard

classes

**Packing group** 

IMDG Not Regulated

**UN** number

UN Proper Shipping Name Transportation Hazard

classes

Packing group

Environmental hazards
Marine polluntant

## 15. Regulatory information

U.S. Federal regulations

SARA 311/312

Classification Acute: Yes, Chronic: No, Fire: No, Pressure: No, Reactive: No,

US state regulations

California Prop 65 This product contains a chemical known to the State of California to cause cancer, birth defects,

Harvey Pipe Thread Compound SDS US SDS # 029035E Version #: 01 Revision date: Issue date: 12-May-2015 Page **5** of **6** 

or other reproductive harm.

**TSCA Status** 

**United States & Puerto Rico** Toxic Substances Control Act (TSCA 8b) Yes

16. Other information, including date of preparation or last revision

**Issue Date** 12-May-2015

**Revision Date** Version # 01

**HMIS Rating** Health: 1

Flammability: 1

Physical Hazards: 0 **Disclaimer** 

William H. Harvey Co. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently

available.

SDS US SDS # 029035E Version #: 01 Revision date: Issue date: 12-May-2015 Page 6 of 6